CITY OF STOUGHTON, 381 E. Main Street, Stoughton, WI 53589

ORDINANCE OF THE COMMON COUNCIL	
Amending Section 10-131 of Chapter 10 - Buildings and Building Regulations Committee Action: recommends approval - 0 Fiscal Impact: N/A	
File Number: O - - 2020	**Date Introduced:**

The Common Council of the City of Stoughton do ordain as follows:

Sec. 10-131. - Stormwater management plan requirements.

(b)(4) b. *Runoff rate control—design standards.* Except for redevelopment projects, all stormwater facilities shall be designed, installed and maintained to effectively accomplish the following:

1. Maintain predevelopment peak runoff rates for the one-year, 24-hour storm event (2.~~5~~49 inches over 24-hour duration using the NRCS MSE4 storm distribution)
2. Maintain predevelopment peak runoff rates for the two-year 24-hour storm event (2.~~9~~84 inches over 24-hour duration using the NRCS MSE4 storm distribution).
3. Maintain predevelopment peak runoff rates for the ten-year 24-hour storm event (4.~~2~~09 inches over 24-hour duration using the NRCS MSE4 storm distribution).
4. Safely pass the 100-year 24-hour storm event (6.~~0~~66 inches over 24 hour~~s~~ duration using the NRCS MSE4 storm distribution).

This ordinance shall be in full force and effect from and after its date of publication.

Dates

Council Adopted:_____

Mayor Approved: _____ _____
Tim Swadley, Mayor

Published:_____

Attest:_____ _____
Holly Licht, City Clerk